

PHYS-3202 Homework 5 Due 3 Nov 2021

This homework is due to <https://uwcloud.uwinnipeg.ca/s/wxqoYpEEa8WT2LX> by 10:59PM on the due date. Your file(s) must be in PDF format; they may be black-and-white scans or photographs of hardcopies (all converted to PDF), PDF prepared by LaTeX, or PDF prepared with a word processor *using an equation editor*.

1. Energy of an Elliptical Orbit

Show that the total energy of an elliptical orbit is $E = k/2a$, where a is the semi-major axis and k is the (negative) constant in the potential energy $V = k/r$.

2. Hohmann Transfer *adapted from Kibble & Berkshire and others*

Suppose we want to send a space probe from earth to a planet farther from the sun. The most fuel-efficient orbit for the probe is known as a *Hohmann transfer*. Its perihelion is at earth's orbit, and its aphelion is at the other planet, which we will choose to be Jupiter. Assume that both earth and Jupiter have circular orbits (the eccentricities are less than 0.05 in both cases) with semi-major axes a_{\oplus} and a_J respectively.

- Find the required semi-major axis and eccentricity of the transfer orbit for the spaceprobe.
- What is the transit time for the orbit? Give your answer first in terms of a_{\oplus}, a_J and then in years given that $a_J \approx 5$ AU. Note that the transit time is half the period of the orbit.

3. S2 and the Supermassive Black Hole

Genzel and Ghez split half the 2020 Nobel Prize in Physics for observations of the star S2 in the center of our galaxy. Star S2 orbits an object of mass M called Sgr A* with a period of $T = 16$ years, semi-major axis of $a = 1000$ AU, and pericenter distance of 120 AU. Give your answers to the following questions to 1 significant digit. Assume that S2's orbit obeys Newton's law of gravitation.

- What is the eccentricity e of S2's orbit? *Hint:* one approach is to think about the relationship of the semi-major axis and pericenter distance to the semi-latus rectum.
- Find M/M_{\odot} , where M_{\odot} is the mass of our sun. (You should find a large mass, which indicates that Sgr A* is a black hole.) *Hint:* use Kepler's third law. It is easier if you use AU and years for length and time units.
- Show that the speed v of S2 at the pericenter is

$$v = \frac{2\pi a}{T} \sqrt{\frac{1+e}{1-e}}.$$

What is the value of this speed for S2 in AU per year? How does it compare to the speed of light $c = 63000$ AU/yr? You can use the results of the previous parts. *Hint:* note that the velocity is purely angular at the pericenter. Use the relation between angular momentum and the semi-latus rectum.